






ПОДШИПНИКИ ДЛЯ КОМБАЙНОВ




Подшипники для комбайнов FK Bearing разработаны с учетом специфики работы сельскохозяйственных машин, что позволяет им эффективно справляться с высокими нагрузками и загрязнениями.

- Для обеспечения надежной защиты от загрязнений и влаги в конструкции подшипников установлено **специальные двухкромочные и трехкромочные уплотнения**.
- Применение в подшипниках высококачественной смазки **Shell Gadus S2 V220 2** увеличенного объема (55-65%) продлевает срок службы.
- Изготовленные из **высококачественной стали**, подшипники обеспечивают надежную работу и долговечность даже в самых сложных условиях эксплуатации.





UK



CUK

Наименование	Размеры (mm)										HARP	FKL
	d1	D	B	B1	C	f	M	d2	b	d3		
B1-UK205+H305	20	52	18	29	16	4.3	M25*1.5	38	7	2.3	1680204AEK10C17	UH205/20-2S.H.T
B1-UK206+H306	25	62	20	32	18	5	M30*1.5	45	7	45	1680205EK10T2C17	UH206/25-2S.H.T
B1-UK207+H307	30	72	22	35	19	5.7	M35*1.5	52	8	57	1680206EK10T2C17	UH207/30-2S.H.T
B1-UK208+H308	35	80	23	36	21	6.5	M40*1.5	58	9	62	1680207EK10T2C17	UH208/35-2S.H.T
B1-UK209+H309	40	85	23	39	21	6.5	M45*1.5	65	10	69	1680208EK10T2C17	UH209/40-2S.H.T
B1-UK211+H311	50	100	25	45	25	7	M55*2	81	11	75	680210A2HK7C17	UH211/50-2S.T
B2-CUK209+H308	35	85		36	23		M40*1.5	58	9	62	380707K10T2C17	UH209/35-2T.SH
B1-CUK209+H309	40	85		39	23		M45*1.5	65	10	69	380708EK10T2C17	UH209/40-2T.SH

A combine harvester is shown in the process of harvesting a golden field. The harvester is white with red accents and is moving from left to right. The background is a clear blue sky with a few wispy clouds. The foreground is a close-up of the golden grain, which is slightly out of focus. The overall scene is bright and sunny.

Дилер FK Bearing в России ООО «КОМПОНЕНТ СЕРВИС»

г. Воронеж,
ул. Космонавтов 6Б

+7 (473) 250-92-24
info@csbrg.ru